QSC US LLC USD Q-SYS Integrator LIST PRICE List

Valid from November 15, 2023

Order Acceptance Disclaimer: Please be informed that Q-SYS reserves the right to accept product orders as listed in this document, as not all products may be accessible to every Dealer.

Freight Policy: A uniform 3% of the Net Dealer amount will be imposed as a Ground Freight Charge for all orders within the continental United States, exclusively for standard ground shipping via Q-SYS preferred carriers. Alternative shipping methods will incur costs on the Dealer's account. Standard shipping rates apply to Alaska and Hawaii shipments. The software will be distributed through Email, exempting it and Professional Services from freight fees.

Drop Ship Shipment Policy: Drop ship orders are handled on an exception basis and need approval. Sales tax will apply to California orders without a resale certificate, while other orders will not be charged sales tax.

Pricing Updates Notification: Dealers must keep their pricing documents up to date. Pricing and product availability may change at any time without prior notice.

		QSC Division	Requires Q-SYS Certification	LIST
	MIXERS			
TouchMix Series				
TOUCHMIX-8	Touch-screen digital audio mixer with 8 mic/line inputs, 2 stereo inputs, 4 effects, 4 aux sends.	Pro Audio	No	\$1,435.59
TOUCHMIX-16	Touch-screen digital audio mixer with 16 mic/line inputs, 2 stereo inputs, 4 effects, 6 mono aux sends, 2 stereo aux sends.	Pro Audio	No	\$2,122.99
TOUCHMIX-30 PRO	Touch-screen digital audio mixer with 32 inputs (24 mic/line, 6 line, USB stereo), 6 effects, 16 aux sends.	Pro Audio	No	\$2,999.99
TouchMix Series Accessory				
TMR-1	TouchMix-16 and TouchMix-8 Rack Mounting Kit/ BLK.	Pro Audio	No	\$137.49
TMR-2	Rack-mount adaptor kit for TouchMix-30 Pro.	Pro Audio	No	\$124.99
TOUCHMIX-30 TABLET SUPPORT STAND	Tablet Stand for the TouchMix-30 Pro.	Pro Audio	No	\$68.79
	Soft, padded polyester tote with zippered accessory pouch for TouchMix-30 Pro.	Pro Audio	No	\$168.79
TOUCHMIX-30 PRO DUST COVER		Pro Audio	No	\$37.49
	ZONE MIXERS			
MP-M Series				
MP-M40	8 input 4 output digital business music zone mixer / processor for music and paging applications with wired and wireless control capability.	Q-SYS	No	\$1,410.00
MP-M80	16 input 8 output digital business music zone mixer / processor for music and paging applications with wired and wireless control capability.	Q-SYS	No	\$2,060.00
MP-MFC-BK	Decora® style multi-function controller for use with MP-M zone mixers, provides zone Volume and Source Select as well as Preset Recall capability. Available in two styles for North American (NA) and European (EU) wall boxes. Color - Black .	Q-SYS	No	\$335.00
MP-MFC-WH	Decora® style multi-function controller for use with MP-M zone mixers, provides zone Volume and Source Select as well as Preset Recall capability. Available in two styles for North American (NA) and European (EU) wall boxes. Color - White.	Q-SYS	No	\$335.00
	LOUDSPEAKERS			
Acoustic Coverage™ Ceiling S				
Acoustic coverage cenning of	2.75" Full-range ceiling speaker, 70/100V transformer with 8Ω bypass, 170° conical coverage,			
AC-C2T	includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs. 2.75" Full-range low profile ceiling speaker, 70/100V transformer with 8Ω bypass, 170° conical	Q-SYS	No	\$104.00
AC-C2T-LP	coverage, includes C-ring and tile rails for blind mount installation. Priced individually, sold only in pairs.	Q-SYS	No	\$117.50
AC-C4T	4.5" Full-range ceiling speaker, 70/100V transformer with 8Ω bypass, 140° conical coverage, includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs.	Q-SYS	No	\$117.50
AC-C4T-nb	4.5" Full-range no backcan (non UL), ceiling speaker, 70/100V transformer, 140° conical coverage. Priced individually but must be purchased in quantities of four (4).	Q-SYS	No	\$62.00
AC-C6T	6.5" Two-way ceiling speaker, 70/100V transformer with 8Ω bypass, 110° conical coverage, includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs.	Q-SYS	No	\$157.00
AC-C8T	8" Two-way ceiling speaker, 70/100V transformer with 8Ω bypass, 90° conical coverage, includes Cring and rails for blind mount installation. Priced individually, sold only in pairs.	Q-SYS	No	\$229.00
AC-C8T-nb	8" Full-range no backcan (non UL) ceiling speaker, 70/100V transformer, 130° conical coverage. Priced individually but must be purchased in quantities of four (4).	Q-SYS	No	\$81.00
Acoustic Coverage™ Ceiling S				
AC-MR4	Flanged mud ring bracket for pre-installation of AC-C2T/AC-C4T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$182.00
AC-MR6	Flanged mud ring bracket for pre-installation of AC-C6T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$202.00
AC-MR8	Flanged mud ring bracket for pre-installation of AC-C8T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$242.00

		QSC Division	Requires Q-SYS Certification	LIST
Acoustic Coverage™ Surfac	e Series			
AC-S4T-BK	4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$136.00
AC-S4T-WH	4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - White. Priced individually, sold only in pairs.	Q-SYS	No	\$136.00
AC-S6T-BK	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$174.00
AC-S6T-WH	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - White. Priced individually, sold only in pairs.	Q-SYS	No	\$174.00
Acoustic Design™ All-Weat	her Landscape Series			
AD-DWL.360	5.25" two-way direct weather landscape loudspeaker bollard design with 360 degree coverage. 70/100Vtransformer with 160hm by pass. Color - Green	Q-SYS	No	\$675.00
AD-DWL.180	5.25" two-way direct weather landscape loudspeaker, bollard design with 180 degree coverage. 70/100Vtransformer with 160hm by pass. Color - Green	Q-SYS	No	\$660.00
AD-DWL.SUB	Dual 5.25" subwoofer direct landscape loudspeaker, bollard design. 70/100V transformer with 16Ohm bypass. Color - Green	Q-SYS	No	\$692.00
AD-DWL.BASE	Direct burial base support accessory for 360/180/SUB landscape loudspeaker bollard design.	Q-SYS	No	\$137.00
Acoustic Design™ Pendant				
	Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x) 2.75" satellites,			
AD-P.HALO-BK	70/100V transformer with 6Ω bypass, includes cable and fastener for suspended installation. Color - Black.	Q-SYS	No	\$810.00
AD-P.HALO-WH	Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x) 2.75" satellites, 70/100V transformer with 6Ω bypass, includes cable and fastener for suspended installation. Color - White.	Q-SYS	No	\$810.00
AD-P.SAT-BK	2.75" Satellite pendant speaker, 16Ω , 150° conical coverage, includes cable and fastener for suspended installation. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$135.00
AD-P.SAT-WH	2.75" Satellite pendant speaker, 16Ω , 150° conical coverage, includes cable and fastener for suspended installation. Color - White. Priced individually, sold only in pairs.	Q-SYS	No	\$135.00
AD-P.SUB-BK	6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes cable and fasteners for suspended installation. Color - Black.	Q-SYS	No	\$574.00
AD-P.SUB-WH	6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes cable and fasteners for suspended installation. Color - White.	Q-SYS	No	\$574.00
AD-P4T-BK	4.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - Black.	Q-SYS	No	\$292.00
AD-P4T-WH	4.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - White.	Q-SYS	No	\$292.00
AD-P6T-BK	6.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - Black .	Q-SYS	No	\$379.00
AD-P6T-WH	6.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - White.	Q-SYS	No	\$379.00
Acoustic Design™ Ceiling S				
AD-C.SAT-BK	2.75" Satellite ceiling speaker, 16Ω, 150° conical coverage, includes C-ring for blind mount installation. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$110.00
AD-C.SAT-WH	2.75" Satellite ceiling speaker, 16Ω, 150° conical coverage, includes C-ring for blind mount installation. Color - White. Priced individually, sold only in pairs.	Q-SYS	No	\$110.00
AD-C.SUB-BK	6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes C-ring and Tile rails for blind mount installation. Color - Black.	Q-SYS	No	\$520.00
AD-C.SUB-WH	6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes C-ring and Tile rails for blind mount installation. Color - White.	Q-SYS	No	\$520.00
AD-C4T-BK	4.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø195 mm cut-out. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$205.00
AD-C4T-WH	 4.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø195 mm cut-out. Color - White. Priced individually, sold only in pairs. 	Q-SYS	No	\$205.00
AD-C4T-LP	4.5" Two-way low-profile ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-out. Color - White only. Priced individually, sold only in pairs.	Q-SYS	No	\$218.00
AD-C6T-BK	6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, includes C-ring and rails for blind mount installation, \emptyset 245 mm cut-out. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$265.00

			QSC Division	Requires Q-SYS Certification	LIST
		6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage,			
	AD-C6T-WH	includes C-ring and rails for blind mount installation, Ø245 mm cut-out.	Q-SYS	No	\$265.00
		Color - White Priced individually, sold only in pairs.			
		6.5" Two-way low-profile ceiling speaker, 70/100v transformer with 16Ω bypass, 135° conical DMT			
	AD-C6T-LP	coverage, includes C-ring and rails for blind mount installation, Ø305 mm cut-out.	Q-SYS	No	\$275.00
		Color - White only. Priced individually, sold only in pairs.			
		6.5" Two-way high ceiling, blind mount ceiling speakers, 70/100V transformer with 16 Ω bypass. 75°			
	AD-C6T-HC	conical coverage, include C-ring and rails for blind mount installation, Ø305 mm cut-out.	Q-SYS	No	\$558.00
		Color - White only. Priced individually, sold only in pairs.			
		6.5" Two-way high power, blind mount ceiling speakers, 70/100V transformer with 16 Ω bypass.			
	AD-C6T-HP	120° conical coverage, include C-ring and rails for blind mount installation, $\emptyset 305$ mm cut-out. Color -	Q-SYS	No	\$460.00
		White only. Priced individually, sold only in pairs.			
	AD-C81Tw-WH	8" In-ceiling subwoofer, 120Hz bypassable low pass filter, 70V/100V transformer with 8Ω bypass,	Q-SYS	No	\$415.00
	AD COITW WIT	includes C-ring and rails for blind mount installation. Color - White only.	Q 313	140	Ψ 113.00
		8" High-power coaxial ceiling speaker, 70/100V transformer with 16Ω bypass, 90° conical coverage,			
	AD-C820R SYSTEM	includes AD-C820 baffle, AD-C800BB back-box, and AD-C800RG round grille.	Q-SYS	No	\$920.00
		Packaged separately (total of three cartons).			
		8" High-power blind mount coaxial ceiling speaker, 70/100V transformer with 16 Ω bypass, 90°			
	AD-C821R SYSTEM	conical DMT coverage. Includes AD-C800RG round grille, C-Ring and Tile Rails.	Q-SYS	No	\$815.00
		Packaged separately (total of three cartons).			
	AD-C1200	12" High-power coaxial ceiling speaker baffle, 70/100V transformer with 16Ω bypass, 85° conical	0 0	No	Ć01F 00
	AD-C1200	coverage. Fits AD-C1200BB back box enclosure or standard ~2.75 cubic foot enclosures.	Q-SYS	No	\$915.00
	AD-C1200BB	High performance enclosure of AD-C1200 loudspeaker system.	Q-SYS	No	\$970.00
	AD-C1200SG	Steel grille for use with AD-C1200 in white (paintable).	Q-SYS	No	\$115.00
Acoustic	Design™ Ceiling Ser				
		Flanged mud ring bracket for pre-installation of AD-C4T in sheetrock or plaster surfaces.			4
	AD-MR4	Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$182.00
		Flanged mud ring bracket for pre-installation of AD-C6T, AD-C4T-LP and AD-C6T-HP in sheetrock or			
	AD-MR6	plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$202.00
		Flanged mud ring bracket for pre-installation of AD-C6T-LP, AD-C-SUB and AD-C6T-HP in sheetrock			
	AD-MR8	or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$242.00
		Flanged mud ring bracket for installation of AD-C821, or AD-C81Tw in sheetrock or plaster surfaces.			
	ADC-MRS	Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$225.00
		Full capture marine grille with bayonet clips and backing cloth for 245 mm cutout ceiling speakers,			
	AD-MG245	requires AD-MC245 collar sold separately.	Q-SYS	No	\$360.00
	715 11102 15	Priced and packaged in quantities of six (6) pieces per box.	Q 313	110	φυσυ.συ
		Full capture marine collar with bayonet sockets for 245mm cutout ceiling speakers, requires AD-			
	AD-MC245	MG245 grille sold separately. Priced and packaged in quantities of six (6) pieces per box.	Q-SYS	No	\$170.00
coustic	Design™ Surface AD				
		2.75" Satellite surface speaker, 16Ω, 150° conical coverage, includes mounting bracket for surface			
	AD-S.SAT-BK	installation. Color - Black. Priced individually, sold only in pairs.	Q-SYS	No	\$110.00
		installation. Color - Black. Friced individually, sold only in pairs.			
	AD C CAT MUL	2.75" Satallita surface speaker, 160, 150° sopical coverage, includes mounting bracket for surface			
	AD-S.SAT-WH	2.75" Satellite surface speaker, 16Ω, 150° conical coverage, includes mounting bracket for surface	Q-SYS	No	\$110.00
	AD-S.SAT-WH	installation. Color - White. Priced individually, sold only in pairs.	Q-SYS	No	\$110.00
		installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite			
	AD-S.SUB-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall	Q-SYS Q-SYS	No No	\$110.00 \$574.00
		installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black.			
	AD-S.SUB-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite	Q-SYS	No	\$574.00
		installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall			
	AD-S.SUB-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White.	Q-SYS	No	\$574.00
	AD-S.SUB-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage,	Q-SYS	No	\$574.00
	AD-S.SUB-BK AD-S.SUB-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS	No No	\$574.00 \$574.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage,	Q-SYS Q-SYS Q-SYS	No No	\$574.00 \$574.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	Q-SYS Q-SYS	No No	\$574.00 \$574.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS	No No	\$574.00 \$574.00 \$220.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup.	Q-SYS Q-SYS Q-SYS	No No	\$574.00 \$574.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS	No No No	\$574.00 \$574.00 \$220.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup.	Q-SYS Q-SYS Q-SYS	No No No	\$574.00 \$574.00 \$220.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS	No No No	\$574.00 \$574.00 \$220.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH AD-S5T-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS Q-SYS	No No No No No	\$574.00 \$574.00 \$220.00 \$220.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH AD-S5T-BK AD-S5T-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	No No No No No No	\$574.00 \$574.00 \$220.00 \$220.00 \$290.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH AD-S5T-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS Q-SYS	No No No No No	\$574.00 \$574.00 \$220.00 \$220.00 \$290.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH AD-S5T-BK AD-S5T-WH AD-S6-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 6.5" Two-way surface speaker, 16Ω (no transformer), 105° conical DMT™ coverage, includes X-Color - White. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	No No No No No No No	\$574.00 \$574.00 \$220.00 \$220.00 \$290.00 \$398.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH AD-S5T-BK AD-S5T-WH	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 6.5" Two-way surface speaker, 16Ω (no transformer), 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	No No No No No No	\$574.00 \$574.00 \$220.00 \$220.00 \$290.00
	AD-S.SUB-BK AD-S.SUB-WH AD-S4T-BK AD-S4T-WH AD-S5T-BK AD-S5T-WH AD-S6-BK	installation. Color - White. Priced individually, sold only in pairs. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black. 6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs. 6.5" Two-way surface speaker, 16Ω (no transformer), 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs. 6.5" Two-way surface speaker, 16Ω (no transformer), 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	No No No No No No No	\$574.00 \$574.00 \$220.00 \$220.00 \$290.00 \$398.00

			QSC Division	Requires Q-SYS Certification	LIST
A	D-S6T-WH	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	Q-SYS	No	\$448.00
A	D-S8T-BK	8" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black.	Q-SYS	No	\$680.00
А	D-S8T-WH	8" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White.	Q-SYS	No	\$680.00
A	D-S10T-BK	10" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black.	Q-SYS	No	\$917.00
A	D-S10T-WH	10" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White.	Q-SYS	No	\$917.00
Α	D-S12-BK	12" Two-way surface speaker, 75° conical DMT™ coverage, includes X-Mount™ and weather input	Q-SYS	No	\$1,100.00
A	D-S12-WH	cup. Color - Black. 12" Two-way surface speaker, 75° conical DMT™ coverage, includes X-Mount™ and weather input	Q-SYS	No	\$1,100.00
A	D-S112-sw-BK	cup. Color - White. 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - Black.	Q-SYS	No	\$917.00
	D-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White.	Q-SYS	No	\$917.00
	esign™ Surface Co		Ψ σ.σ		70=
		2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160°			
A	D-S402T-BK	horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black.	Q-SYS	No	\$414.00
A	D-S402T-WH	2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White.	Q-SYS	No	\$414.00
A	D-S802T-BK	2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color	Q-SYS	No	\$660.00
A	D-S802T-WH	- Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White.	Q-SYS	No	\$660.00
A	D-S162T-BK	2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black .	Q-SYS	No	\$1,155.00
A	D-S162T-WH	2.75" Full-range (x16) element column surface speaker, $70/100V$ transformer with 8Ω bypass, 160° horizontal x selectable $15/30^{\circ}$ vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White.	Q-SYS	No	\$1,155.00
Acoustic De	esign™ Surface Le				
		Dual 8" bandpass subwoofer, 70/100V transformer with 8Ω bypass, 120Hz bypassable low-pass			4
A	D-S28Tw-BK	filter, includes yoke and suspension hardware. Color - Black. Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount.	Q-SYS	No	\$935.00
A	D-S282H-BK	Color - Black. Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount.	Q-SYS	No	\$1,200.00
	D-S282H-WH	Color - White.	Q-SYS	No	\$1,200.00
	esign™ Surface Se				4164.00
	D-YMS8-BK	Yoke mount for the AD-SST. Color - Black.	Q-SYS	No	\$164.00
	D-YMS8-WH	Yoke mount for the AD-S8T. Color - White.	Q-SYS	No	\$164.00
	D-YMS10-BK	Yoke mount for the AD-S10T. Color - Black.	Q-SYS Q-SYS	No	\$202.00
	D-YMS10-WH	Yoke mount for the AD-S10T. Color - White. Yoke mount for the AD-S12. Color - Black.		No	\$202.00 \$264.00
	D-YMS12-BK D-YMS12-WH	Yoke mount for the AD-S12. Color - White.	Q-SYS Q-SYS	No No	\$264.00
A	D-1101312-0011	CINEMA LOUDSPEAKERS	Q-313	NO	3204.00
DACCIVE CO	DEEN CHANNE				
	REEN CHANNEL I		O CVC	Na	¢70F 00
	C-1120	Passive 2-way, 1x12", single enclosure	Q-SYS	No	\$795.00
	C-1150	Passive 2-way, 1x15", single enclosure Passive or Bi-amp 3-way, 2x15", 6.5" mid-range and 1.4" HF	Q-SYS	No	\$1,060.00 \$2,000.00
	C-2150		Q-SYS	No	<u> </u>
	C-222X C-223X	Passive 2-way, 2x15", consists of HF-75CX2 and LF-2215 components Passive 3-way, 2x15", consists of MH-1060X and LF-2215 components	Q-SYS Q-SYS	No No	\$2,650.00 \$3,085.00
		NNEL LOUDSPEAKERS	Q-313	INU	00.000,00
	C-412C	High power, bi-amp, 2-way, 1x15", consists of HF-75C and LF-4115 components	Q-SYS	No	\$2,320.00
	C-222	Bi-amp, 2-way, 2x15", consists of HF-75C and LF-4115 components	Q-SYS	No	\$2,585.00
	C-222 C-422C	High power, bi-amp 2-way, 2x15", consists of HF-75C and LF-2215 components	Q-SYS		\$2,875.00
		N CHANNEL LOUDSPEAKERS	ų-313	No	72,073.00
	C-413C	Bi or tri-amp, 3-way, 1x15", consists of LF-4115 and MH-1075C components	Q-SYS	No	\$3,250.00
	C-223	Bi-amp, 3-way, 2x15", consists of LF-2215 and MH-1060 components	Q-SYS	No	\$2,685.00
	C-223 C-423C	Bi or tri-amp, 3-way, 2x15", consists of LF-4215 and MH-1075C components	Q-SYS	No	\$3,500.00
	C 723C	prof an amp, 5 way, 2x15, consists of the facts and with 10/30 components	ų-313	INU	,JUU.UU

			QSC Division	Requires Q-SYS Certification	LIST
	SC-423C-F	Flyable high power, bi-amp, 3-way, 2x15", consists of LF-4215-F and MH-1075C-F components	Q-SYS	No	\$4,975.00
	SC-433C	High power, bi or tri-amp, 3-way, 3x15", consists of LF-4315 and MH-1075C components	Q-SYS	No	\$4,500.00
	SC-443C	High power, bi or tri-amp, 3-way, 4x15", consists of 2 x LF-4215 and MH-1075C components	Q-SYS	No	\$5,525.00
4-WAY P	REMIUM SCREEN C	CHANNEL LOUDSPEAKERS			
	SC-414	High power, tri or quad-amp, 4-way, 1x15", consists of LF-4115 and MHV-1090 components	Q-SYS	No	\$4,500.00
	SC-424	High power, tri or quad-amp, 4-way, 2x15", consists of LF-4215 and MHV-1090 components	Q-SYS	No	\$4,920.00
	SC-424-8F	Flyable high power, tri-amp, 4-way, 2x15", consists of LF-4215-8F and MHV-1090F components	Q-SYS	No	\$5,970.00
	SC-434	High power, tri or quad-amp, 4-way, 3x15", consists of LF-4315 and MHV-1090 components	Q-SYS	No	\$6,250.00
	SC-444	High power, tri or quad-amp, 4-way, 4x15", consists of 2x LF-4215 and MHV-1090 components	Q-SYS	No	\$6,545.00
SUBWO		nel loudspeaker LF and MH/HF/MHV components are available to purchase individually for replace	ments; CALL	FOR PRICE. **	***
	SB-1180	Compact cinema subwoofer, single 18" 600 W transducer, 98 dB sensitivity	Q-SYS	No	\$1,100.00
	SB-7118	Cinema subwoofer, single 18" 700 W transducer, 98 dB sensitivity	Q-SYS	No	\$1,460.00
	SB-2180	Cinema subwoofer, dual 18" transducers, 1100 watts, 101 dB sensitivity	Q-SYS	No	\$1,920.00
	SB-7218	Cinema subwoofer, dual 18" 700 W transducers, 101 dB sensitivity	Q-SYS	No	\$2,335.00
	SB-15121	Cinema subwoofer, single 21" 1500 W transducer, 96.5 dB sensitivity	Q-SYS	No	\$4,000.00
SURROU	ND LOUDSPEAKERS		Q-313	140	Ş 4 ,000.00
		Cinema surround loudspeaker, 8" 2-way, 135° conical, 90 dB sensitivity.			
	SR-800	Priced individually, sold only in pairs.	Q-SYS	No	\$264.00
501		Cinema surround loudspeaker, 8" 2-way, 130°H x 110°V, 91 dB sensitivity.			
EOL - with stock	SR-8101	Priced individually, sold only in pairs.	Q-SYS	No	\$264.00
		Cinema surround loudspeaker, 10" 2-way, 90° conical, 94 dB sensitivity.			
	SR-1000	Priced individually, sold only in pairs.	Q-SYS	No	\$400.00
		Cinema surround loudspeaker, 8" 2-way, 90°H x 90°V, HF Horn, 94 dB sensitivity.			
	SR-8200	Priced individually, sold only in pairs.	Q-SYS	No	\$434.00
	SR-1020	Cinema surround loudspeaker, 10" 2-way, 90°H x 90°V, HF Horn, 94 dB sensitivity. Priced individually, sold only in pairs.	Q-SYS	No	\$505.00
	SR-1030	Cinema surround loudspeaker, High Output 10" 2-way, 90°H x 90°V, HF Horn, 95.5 dB sensitivity. Priced individually, sold only in pairs.	Q-SYS	No	\$600.00
	SR-1290	Cinema surround loudspeaker, High Output 12" 2-way, coaxial LF/HF drivers, 4Ω impedance, 96 dB sensitivity. Priced and sold individually.	Q-SYS	No	\$835.00
	SR-1590	Cinema surround loudspeaker, Very High Output 15" 2-way, coaxial LF/HF drivers, 4Ω impedance, 98 dB sensitivity. Priced and sold individually.	Q-SYS	No	\$1,120.00
	SR-5152	Two-way, very high output loudspeaker, 15", selectable bi-amp or passive, 8Ω . Black only. Accepts 4-hole multi-axis wall mount bracket. Priced and sold individually.	Q-SYS	No	\$2,010.00
SURROU	ND LOW ERFOLIENC	CY EXTENSION LOUDSPEAKERS			
30111100	AD-S112-sw-BK	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - Black.	Q-SYS	No	\$917.00
	AD-S112-sw-BK	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - Black.	Q-SYS	No	\$917.00
	AD-3112-5W-WH	Flyable cinema subwoofer, 8 x M10 suspension points, single 18" 800 W transducer, 98 dB	Q-313	INO	\$917.00
	SB-118F	sensitivity	Q-SYS	No	\$1,195.00
	SB-218F	Flyable cinema subwoofer, 8 x M10 suspension points, dual 18" 800 W transducers, 101 dB sensitivity	Q-SYS	No	\$2,000.00
	LF-4215-F	Flyable high power low-frequency cabinet, dual 15", 4Ω, 99.5 dB sensitivity	Q-SYS	No	\$3,000.00
	LF-4215-8F	Flyable high power low-frequency cabinet, dual 15", 8Ω, 99.5 dB sensitivity	Q-SYS	No	\$3,000.00
CINEMA	LOUDSPEAKERS AC	CCESSORIES			
	YM-300	Yoke mount kit for SR-800, SR-1000, SR-8101	Q-SYS	No	\$60.00
	YM-46	Yoke mount kit for SR-8200	Q-SYS	No	\$60.00
	YM-400	Yoke mount kit for SR-1020, SR-1030, SR-1290	Q-SYS	No	\$60.00
	YM-500	Yoke mount kit for SR-1590	Q-SYS	No	\$82.00
	QM-SW	Side wall bracket for all SR Series surrounds (EXCEPT SR-5152)	Q-SYS	No	\$35.00
	QM-BW	Back wall bracket for all SR Series surrounds (EXCEPT SR-5152) with 8° down angle	Q-SYS	No	\$35.00
		PRO AUDIO LOUDSPEAKERS	-, -, -		,
L Class		THO HODIO LOODSI LAIKLING			
	LA108	9 in Two way Active Line Array Loudeneaker	Dro Audio	No	\$2,700,00
NEW		8-in Two-way Active Line Array Loudspeaker	Pro Audio	No	\$2,799.99
NEW	LA112	12-in Two-way Active Line Array Loudspeaker	Pro Audio	No	\$3,749.99
	ccessories	Harry dish. Transport Tata faul MACCL - deceder	D 1	81 -	¢100.00
	LA108 TOTE	Heavy-duty Transport Tote for LA108 Loudspeaker	Pro Audio	No	\$199.99
	LA112 TOTE	Heavy-duty Transport Tote for LA112 Loudspeaker	Pro Audio	No	\$209.99
NEW	LA108-AF	Array Frame for LA108 Loudspeaker	Pro Audio	No	\$874.99
NEW	LA112-AF	Array Frame for LA112 Loudspeaker	Pro Audio	No	\$999.99
NEW	LA108-KIT-SA	Stack Adapter Kit to combine with LA108-AF	Pro Audio	No	\$469.99
NEW	LA112-KIT-SA	Stack Adapter Kit to combine with LA112-AF	Pro Audio	No	\$469.99
NEW	LA-KIT-J	International Jumper Kit 2 PowerCON/EtherCON 60 cm	Pro Audio	No	\$174.99
NEW	LA-KIT-J-NA	North America Jumper Kit 2 PowerCON/EtherCON 24 in	Pro Audio	No	\$174.99

			QSC Division	Requires Q-SYS Certification	LIST
NEW CP Serie	LA-KIT-I	LA108/LA112 Installation Kit 2 Shackles/1 Eyebolt	Pro Audio	No	\$116.99
	CP8	1000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver; 90 degree conical waveguide; pole socket; selectable user contours. For use as main or stage monitor.	Pro Audio	No	\$624.99
	CP12	1000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver; 75 degree conical waveguide; pole socket; selectable user contours. For use as main or stage monitor.	Pro Audio	No	\$749.99
CP Serie	Accessories				4
	CP8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	Pro Audio	No	\$112.49
	CP8YM	Powder coated steel yoke for mounting the CP8 vertically or horizontally to structures. Nylon fabric and mesh cover for temporary outdoor use of CP8 in adverse weather. Removable	Pro Audio	No	\$162.49
	CP8 OUTDOOR COVER	amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install.	Pro Audio	No	\$62.49
	CP12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	Pro Audio	No	\$124.99
	CP12YM	Powder coated steel yoke for mounting the CP12 vertically or horizontally to structures.	Pro Audio	No	\$187.49
	CP12 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of CP12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install.	Pro Audio	No	\$79.49
K.2 Serie	s				
	K8.2	2000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver; 105 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP. For use as main or stage monitor.	Pro Audio	No	\$999.99
	K10.2	2000W active, portable loudspeaker system; 10-inch woofer; 1.0-inch compression driver; 90 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP, for use as main or stage monitor.	Pro Audio	No	\$1,124.99
	K12.2	2000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver; 75 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP. For use as main or stage monitor.	Pro Audio	No	\$1,251.99
K / K.2 S	eries Accessories	indition.			
	к8 тоте	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material. FITS BOTH K8 AND NEW K8.2	Pro Audio	No	\$124.99
	K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material. FITS BOTH K10 AND NEW K10.2	Pro Audio	No	\$137.49
	K12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material. FITS BOTH K12 AND NEW K12.2	Pro Audio	No	\$162.49
	K8.2 YOKE	Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures.	Pro Audio	No	\$187.49
	K10.2 YOKE	Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures.	Pro Audio	No	\$199.99
	K12.2 YOKE	Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures.	Pro Audio	No	\$212.49
	K8 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install. FITS BOTH K8 AND NEW K8.2.	Pro Audio	No	\$87.49
	K10 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install. FITS BOTH K10 AND NEW K10.2.	Pro Audio	No	\$99.99
	K12 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install. FITS BOTH K12 AND NEW K12.2.	Pro Audio	No	\$124.99
	K.2 LOC	Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains.	Pro Audio	No	\$37.49
KS Serie					
	KS112	2000W active, Compact subwoofer; 12-inch woofer; 4 large, swivel casters; dual M20 threaded pole socket; speaker pole optional accessory.	Pro Audio	No	\$1,499.99
	KS118	3600W active, ported subwoofer; high powered 18-inch woofer; 4 large, swivel casters; M20 threaded pole socket; speaker pole optional accessory.	Pro Audio	No	\$2,382.79
	KS212C	3600W active, Cardioid subwoofer; dual 12-inch woofers; 4 large, swivel casters; dual M20 threaded	Pro Audio	No	\$2,501.99
KS Acces	sorv	pole socket; speaker pole included.			
/10003	KS112-CVR	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for KSub with grille guard.	Pro Audio	No	\$162.49
	KS118-CVR	Soft padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for KS118/LS118 with grille guard.	Pro Audio	No	\$187.49
	KS212C-CVR	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for KSub with grille guard.	Pro Audio	No	\$187.49
	KS LOC	Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains.	Pro Audio	No	\$31.29

			QSC Division	Requires Q-SYS Certification	LIST
KW Serie	es				
	KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor.	Pro Audio	No	\$1,687.49
	KW152	15" two-way, 1000W, 60° axisymmetric, active loudspeaker.	Pro Audio	No	\$1,965.89
	KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange.	Pro Audio	No	\$2,263.79
KW Serie	es Accessories				
EOL - with stock	KW SUS KIT 122	M10 forged-shoulder, steel eyebolt kit with solid aluminum pull-back bar for horizontal suspension of KW122.	Pro Audio	No	\$151.29
	KW122 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW122.	Pro Audio	No	\$124.99
	KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152.	Pro Audio	No	\$137.49
	KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153.	Pro Audio	No	\$149.99
KLA Seri	es				
	KLA12-BK	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression	Pro Audio	No	\$2,874.99
	KLA12-DK	driver; 90' x 18' nominal coverage angle; self contained rigging system, Color - Black.	110 Addio	140	72,674.55
	KLA181-BK	18" ported, 1000W subwoofer with integrated flying hardware; Color - Black	Pro Audio	No	\$3,437.49
KLA Seri	es Accessories				
	KLA AF12 TOTE	Tote bag for the KLA AF12.	Pro Audio	No	\$162.49
	KLA-AF12-BK	Aluminum array frame for KLA Series enclosures; Color - Black.	Pro Audio	No	\$1,422.29
	KLA12 TOTE	Soft padded tote for the KLA12 Loudspeaker made with heavy-duty Nylon/Cordura® material.	Pro Audio	No	\$162.49
	KLA181 COVER	Soft padded cover for the KLA181 Subwoofer; constructed from heavy-duty Nylon/Cordura®	Pro Audio	No	\$162.49
	REATOT COVER	material	110 Addio	110	7102.15
E Series					
	E110-BK	10" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	Pro Audio	No	\$774.99
	E112-BK	12" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black .	Pro Audio	No	\$937.49
	E115-BK	15" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	Pro Audio	No	\$1,212.49
	E118SW-BK	18" externally powered, live sound-reinforcement subwoofer. Color - Black.	Pro Audio	No	\$1,362.49
E Series	Loudspeaker Acces				
	E10-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material. FITS BOTH E10 & E110.	Pro Audio	No	\$108.79
	E12-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material. FITS BOTH E12 & E112.	Pro Audio	No	\$124.99
	E15-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material. FITS BOTH E15 & E115.	Pro Audio	No	\$149.99
EOL - with stock	E215-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material for E215.	Pro Audio	No	\$146.23
Stock	E118SW-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material for E118SW.	Pro Audio	No	\$150.59
EOL - with	E218SW-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material for E218SW.	Pro Audio	No	\$209.39
stock		Powder coated steel yoke for mounting the E110 horizontally or vertically to structures.			\$199.99
	E110YM-BK		Pro Audio	No No	\$199.99
	E12YM-BK E15YM-BK	Powder coated steel yoke for mounting the E12 or E112 horizontally or vertically. Powder coated steel yoke for mounting the E15 or E115 horizontally or vertically.	Pro Audio	No	\$212.49
	ETOTIVI-DK	Eyebolt kit for suspending E110 loudspeakers. Includes: 6x M8×1.25, 32 mm stainless, forged	Pro Audio	INU	\$237.43
	M8 KIT-A	shoulder eyebolts.	Pro Audio	No	\$93.59
Acquistic	Performance™ Sei				
Acoustic	AP-5102-BK	10" High-power two-way surface speaker, 105° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	Q-SYS	No	\$1,700.00
		10" High-power two-way surface speaker, 105° conical DMT™ coverage, trapezoidal install			4
	AP-5102-WH	enclosure with M10 suspension fittings. Color - White.	Q-SYS	No	\$1,700.00
		12" High-power two-way surface speaker, 90° conical DMT™ coverage, trapezoidal install enclosure			44 005 00
	AP-5122-BK	with M10 suspension fittings. Color - Black.	Q-SYS	No	\$1,835.00
	AP-5122-WH	12" High-power two-way surface speaker, 90° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - White.	Q-SYS	No	\$1,835.00
	AP-5152-BK	15" High-power two-way surface speaker, 75° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	Q-SYS	No	\$2,000.00
	AP-5152-WH	15" High-power two-way surface speaker, 75° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - White.	Q-SYS	No	\$2,000.00
	AP-4122m	12" Coaxial multipurpose speaker, 90° conical DMT™ coverage, multi-angle enclosure with M10 suspension fittings. Color - Black.	Q-SYS	No	\$1,465.00
	AP-212sw	Dual 12" folded baffle subwoofer, 2x pole cups for horizontal or vertical deployments, dual crossed NL4 inputs. Color - Black.	Q-SYS	No	\$1,465.00
Acquistic	Performance™ Sei				
. ICCUSTIC	AP-YM10-BK	Yoke mount for the AP-5102. Color - Black.	Q-SYS	No	\$225.00
	AP-YM10-BK	Yoke mount for the AP-5102. Color - Black. Yoke mount for the AP-5102. Color - White.	Q-SYS	No	\$225.00
	AP-YM12-BK	Yoke mount for the AP-5102. Color - Write. Yoke mount for the AP-5122. Color - Black.	Q-SYS	No	\$270.00
	AP-YM12-WH	Yoke mount for the AP-5122. Color - Black.	Q-SYS	No	\$270.00
	AP-YM12m-BK	Yoke mount for the AP-5122. Color - White. Yoke mount for the AP-5122m and AP-4122m. Available in black only.	Q-SYS	No	\$260.00
Loudspe	aker Accessories	TORE MOUNTE OF CITE AT STEELIN UND AT "TIEZIN. AVAILABLE III DICEN UTILY.	Ų-313	140	7200.00
	M10 KIT-W	Eyebolt kit for suspending loudspeakers (wooden enclosures). For E112, E115, E215, KW Series and Acoustic Performance Series. Includes: 3x M10×1.5, 35–38 mm stainless, forged shoulder eyebolts.	Q-SYS	No	\$76.89
		Acoustic Ferrormanice Series. Includes. Sk ivito*1.3, 33-30 min stailless, forged shoulder eyeboits.			

			QSC	Requires Q-SYS	LIST
			Division	Certification	
		Eyebolt kit for suspending loudspeakers (composite-based enclosures). For K/K.2 Series, KLA12,			
	M10 KIT-C	Acoustic Design S8T, S10T and S12 models. Includes: 3x M10×1.5, 20 mm stainless, forged shoulder eyebolts and 3x M10 black conical spring washers.	Q-SYS	No	\$76.89
	M10 KIT-S	Eyebolt kit for suspending subwoofers. Includes: 4x M10×1.5, 35–38 mm stainless, forged shoulder eyebolts.	Q-SYS	No	\$84.99
	SP-16x	Threaded speaker pole extension, 35 mm diameter, 16" length.	Q-SYS	No	\$36.00
	SP-26	Threaded speaker pole, 35 mm diameter, 26" length.	Q-SYS	No	\$43.50
	SP-36	Threaded speaker pole, 35 mm diameter, 36" length.	Q-SYS	No	\$53.50
	CASTER KIT-S	3" caster wheels (4 pack) 76 mm x 44 mm mounting bolt pattern for all KS Series and KLA181 subwoofers.	Q-SYS	No	\$122.00
	CASTER KIT-L	4" caster wheels (4 pack) 101 mm x 80 mm mounting bolt pattern for E118SW and E218SW subwoofer.	Q-SYS	No	\$208.50
LA Serie	es				
	WI 110 our DV	18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended	0 575	No	\$3,735.00
	WL118-sw-BK	with WL2082-i, integral array hardware, Color - Black.	Q-SYS	No	\$5,755.00
	WL2082-i-BK	Installation line array speaker - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, Color - Black.	Q-SYS	No	\$3,100.00
ILA Serie	s Accessories				
	EB2082-i-BK	Extension bar, allows WL115-sw to be suspended behind WL2082-i, Color - Black.	Q-SYS	No	\$1,630.00
EOL - with stock	EB2082-i-WH	Extension bar, allows WL115-sw to be suspended behind WL2082-i, Color - White.	Q-SYS	No	\$1,630.00
	FB2082-i-BK	Fly-bar for WL2082-i and WL115-sw, Color - Black.	Q-SYS	No	\$1,170.00
EOL - with stock	FB2082-i-WH	Fly-bar for WL2082-i and WL115-sw, Color - White.	Q-SYS	No	\$1,170.00
	PB2082-i-BK	Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, Color - Black .	Q-SYS	No	\$450.00
	QRP-KIT-1	Kit of four (4) quick release pins for use in lieu of included bolts	Q-SYS	No	\$270.00
WideLin	e - 8				
EOL - with	GP212-sw-BK	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10	Q-SYS	No	\$2,825.00
stock	OI Z1Z-3W-DK	suspension points; M20 screw-in pole socket; Color - Black.	Q-313	NO	72,023.00
EOL - with stock	WL212-sw-BK	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; Color - Black.	Q-SYS	No	\$4,010.00
	WL3082-BK	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage,	Q-SYS	No	\$4,200.00
Widel in	e - 8 Accessories	integral array-building hardware; Color- Black.			
VIGCE.	AF3082-L-BK	Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; Color - Black.	Q-SYS	No	\$2,985.00
	AF3082-S-BK	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to	Q-SYS	No	\$1,595.00
	AI 3002 3 BK	construct arrays with WL212-sw suspended behind WL3082; Color - Black.	Q 313	110	γ1,333.00
	EB3082-BK	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw	Q-SYS	No	\$2,045.00
		subwoofers to be suspended behind arrays of WL3082 line array modules; Color - Black.		-	. ,
	PB3082-BK	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; Color - Black.	Q-SYS	No	\$845.00
WideLin	e - 10				
	GP218-sw-BK	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; Color - Black.	Q-SYS	No	\$3,740.00
	WL2102-w-BK	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, Color - Black.	Q-SYS	No	\$5,650.00
WideLin	e - 10 Accessories				
	AF2102-LA-BK	Large Aluminum Array Frame for the WideLine 10 (WL2102); Color - Black.	Q-SYS	No	\$3,575.00
	ance Loudspeaker	Series			
ine Arra	•				4
	PL-LA8	Two-way passive 8-in installation line array, Color - Black	Q-SYS	No	\$2,200.00
NEW	PL-LA12	Two-way passive 12-in installation line array, Color - Black	Q-SYS	No	\$2,750.00
	ty Control	Two way passing dual A is point source landenagher Celer Black	0.676	N'-	¢025.00
	PL-DC24	Two-way, passive dual-4-in point source loudspeaker, Color - Black	Q-SYS	No	\$835.00 \$1,420.00
NEW					
NEW NEW	PL-DC26	Two-way, passive dual-6-in point source loudspeaker with directivity control, Color - Black	Q-SYS	No No	
NEW		Two-way, passive dual-6-in point source loudspeaker with directivity control, Color - Black Two-way, passive 8-in point source loudspeaker with directivity control, Color - Black Two-way, passive 12-in point source loudspeaker with directivity control, Color - Black	Q-SYS Q-SYS	No No No	\$1,420.00 \$1,420.00 \$2,500.00

			QSC Division	Requires Q-SYS Certification	LIST
NEW	PL-SUB10	10-in Passive installation subwoofer, Color - Black	Q-SYS	No	\$1,220.00
NEW	PL-SUB12	12-in Passive installation subwoofer, Color - Black	Q-SYS	No	\$1,500.00
NEW	PL-SUB15	15-in Passive installation subwoofer, Color - Black	Q-SYS	No	\$1,835.00
NEW	PL-SUB18	18-in Passive installation subwoofer, May be ground-stacked or suspended with PL-LA12, integral array hardware, Color - Black	Q-SYS	No	\$2,420.00
Mounts	& Accessories				
NEW	PL-LA8-AF	Array frame for use with PL-LA8, Color - Black	Q-SYS	No	\$670.00
NEW	PL-LA12-AF	Array frame for use with PL-LA12, Color - Black	Q-SYS	No	\$920.00
NEW	PL-LA8-PB	Pullback Bar for use with PL-LA8, Acts also as Array frame up to 4 boxes, Color - Black	Q-SYS	No	\$420.00
NEW	PL-LA12-PB	Pullback Bar for use with PL-LA12, Color - Black	Q-SYS	No	\$500.00
NEW	PL-DC24-YM	Yoke Mount for PL-DC24, Color - Black	Q-SYS	No	\$100.00
NEW	PL-DC26-YM	Yoke Mount for PL-DC26, Color - Black	Q-SYS	No	\$170.00
NEW	PL-DC8-YM	Yoke Mount for PL-DC8, Color - Black	Q-SYS	No	\$170.00
NEW	PL-DC12-YM	Yoke Mount for PL-DC12, Color - Black	Q-SYS	No	\$290.00
NEW	PL-DC24-FM	Flush Mount Ceiling & walls for PL-DC24, Color - Black	Q-SYS	No	\$125.00
NEW	PL-DC26-FM	Flush Mount Ceiling & walls for PL-DC26, Color - Black	Q-SYS	No	\$200.00
		AMPLIFIERS			
MPA Se	ries				
	MD 430V	400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass	0.676	NI-	ć1 12F 00
	MP-A20V	filter per channel, GPIO for Remote Standby and Amp Status.	Q-SYS	No	\$1,135.00
	NAD A 401/	800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass	0.000	No	\$1,910.00
	MP-A40V	filter per channel, GPIO for Remote Standby and Amp Status.	Q-SYS	No	\$1,910.00
	MP-A80V	1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω , 8Ω , 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.	Q-SYS	No	\$3,060.00
CX-Q Se	ries		ı		
	CX-Q 2K4	4-Channel 500W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	Q-SYS	Yes	\$2,960.00
	CX-Q 4K4	4-Channel 1000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	Q-SYS	Yes	\$3,985.00
	CX-Q 8K4	4-Channel 2000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	Q-SYS	Yes	\$5,000.00
	CX-Q 4K8	8-Channel 500W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, with	Q-SYS	Yes	\$5,820.00
	CX-Q 8K8	Mic/line Inputs, 100-240V. 8-Channel 1000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, with	Q-SYS	Yes	\$7,245.00
SPA-Q S	cries	Mic/line Inputs, 100-240V.			
NEW	SPA-Qf 60x2	2-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	Q-SYS	Vas	\$1,420.00
NEW	SPA-Qf 60x4	4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	Q-SYS	Yes Yes	\$1,420.00
SPA Ser		4-cii, 60 W/cii Q-313 Hetwork addio Ampillier, Lo-2, Flexio, with Mic/illie Illput, 100-240V	Q-313	162	\$1,070.00
JI A JEI	163	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo operation 60 watts into 8Ω & 4Ω, Bridged			
	SPA2-60	operation 200 watts into 8 Ω & 4 Ω , and 250 watts into 70v and 100v / 100-240 VAC Operation.	Q-SYS	No	\$705.00
		1/2 RU 2 Channel ENERGY STAR amplifier / Stereo Operation 200 watts into 8Ω & 4Ω, Bridged			
	SPA2-200	operation 400 watts into 8 Ω & 4 Ω , and 350 watts into 70v and 100v / 100-240 VAC Operation.	Q-SYS	No	\$825.00
		1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel operation 60 watts into $8\Omega \& 4\Omega$, Bridged			
	SPA4-60	pair operation 200 watts into 8 Ω & 4 Ω , and 250 watts into 70v and 100v / 100-240 VAC Operation.	Q-SYS	No	\$1,005.00
	SPA4-100	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel Operation 100 watts into 8Ω & 4Ω , Bridged	Q-SYS	No	\$1,155.00
	31 A4-100	pair operation 200 watts into 8Ω & 4Ω , and 350 watts into 70v and 100v / 100-240 VAC Operation .	Q-313	140	71,133.00
DCA SEF	RIES				
	DCA1222	2 channels, 215 watts/ch @ 8Ω, 375 watts/ch @ 4Ω, 600 watts/ch @ 2Ω	Q-SYS	No	\$1,250.00
	DCA1622	2 channels, 350 watts/ch @ 8 Ω , 600 watts/ch @ 4 Ω , 800 watts/ch @ 2 Ω	Q-SYS	No	\$1,375.00
	DCA1644	4 channels, 250 watts/ch @ 8Ω , 400 watts/ch @ 4Ω	Q-SYS	No	\$1,570.00
	DCA1824	4 channels, 170 watts/ch @ 8Ω , 250 watts/ch @ 4Ω , 450 watts/ch @ 2Ω	Q-SYS	No	\$1,570.00
	DCA2422	2 channels, 475 watts/ch @ 8Ω , 825 watts/ch @ 4Ω , 1200 watts/ch @ 2Ω	Q-SYS	No	\$1,570.00
	DCA3022	2 channels, 625 watts/ch @ 8 Ω , 1050 watts/ch @ 4 Ω , 1500 watts/ch @ 2 Ω	Q-SYS	No	\$1,760.00
	DCA3422	2 channels, 800 watts/ch @ 8Ω , 1250 watts/ch @ 4Ω , 1700 watts/ch @ 2Ω	Q-SYS	No	\$1,955.00
GXD Ser	ries Processing An		-, -, -,		. ,
	GXD4	Lightweight, class-D professional power amplifier with DSP, 2 channels, 400 watts/ch at 8Ω, 600	Pro Audio	No	\$846.29
	JAD4	watts/ch at 4Ω , total power capacity of 1600 watts.	1 10 Auulu	INU	7040.23
	GXD8	Lightweight, class-D professional power amplifier with DSP, 2 channels, 800 watts/ch at 8Ω , 1200 watts/ch at 4Ω , total power capacity of 4500 watts.	Pro Audio	No	\$1,292.19
GX Serie	es				
	GX3	Lightweight, professional power amplifier, 2 channels, 300 watts/ch at 8Ω , 425 watts/ch at 4Ω .	Pro Audio	No	\$594.99
	GX5	Lightweight, professional power amplifier, 2 channels, 500 watts/ch at 8Ω , 700 watts/ch at 4Ω .	Pro Audio	No	\$702.19

			QSC Division	Requires Q-SYS Certification	LIST
ISA Serie	es				
	ISA280	2 channels, 185 watts/ch at 8 Ω , 280 watts/ch at 4 Ω , 430 watts/ch at 2 Ω .	Q-SYS	No	\$795.00
	ISA450	2 channels, 260 watts/ch at 8 Ω , 425 watts/ch at 4 Ω , 700 watts/ch at 2 Ω .	Q-SYS	No	\$1,060.00
	ISA750	2 channels, 450 watts/ch at 8Ω , 650 watts/ch at 4Ω , 1200 watts/ch at 2Ω .	Q-SYS	No	\$1,315.00
		2 channels, 800 watts/ch at 8 Ω , 1300 watts/ch at 4 Ω , 2000 watts/ch at 2 Ω , 1500 watts/ch at 70V			
	ISA1350	(direct output).	Q-SYS	No	\$2,625.00
	ISA300Ti	2 channels, 185 watts/ch at 8 Ω , 280 watts/ch at 4 Ω , 430 watts/ch at 2 Ω , 300 watts/ch at 70V.	Q-SYS	No	\$1,085.00
	ISA500Ti	2 channels, 260 watts/ch at 8Ω , 425 watts/ch at 4Ω , 700 watts/ch at 2Ω , 500 watts/ch at 70V.	Q-SYS	No	\$1,245.00
	ISA800Ti	2 channels, 450 watts/ch at 8Ω , 650 watts/ch at 4Ω , 1200 watts/ch at 2Ω , 800 watts/ch at 70V.	Q-SYS	No	\$1,640.00
RMX Ser		2 channels, 130 wates, en at 612, 630 wates, en at 112, 1200 wates, en at 212, 600 wates, en at 704.	Q 313	140	φ <u>1</u> ,ο 10.00
	RMX850a	2 channels, 200 watts/ch at 8Ω , 300 watts/ch at 4Ω , 430 watts/ch at 2Ω .	Pro Audio	No	\$783.79
	RMX1450a	2 channels, 280 watts/ch at 8 Ω , 450 watts/ch at 4 Ω , 700 watts/ch at 2 Ω .	Pro Audio	No	\$1,067.99
	RMX2450a	2 channels, 500 watts/ch at 8Ω , 750 watts/ch at 4Ω , 1200 watts/ch at 2Ω .	Pro Audio	No	\$1,007.33
	NIVIA245Ud		PTO Audio	INO	\$1,232.79
	RMX4050a	2 channels, 850 watts/ch at 8 Ω , 1400 watts/ch at 4 Ω , 2000 watts/ch at 2 Ω , 4000 watts/ch at 4 Ω	Pro Audio	No	\$2,148.79
		(bridged).			
	RMX5050a	2 channels, 1100 watts/ch at 8Ω , 1800 watts/ch at 4Ω , 2500 watts/ch at 2Ω , 5000 watts/ch at 4Ω	Pro Audio	No	\$2,540.49
	1 2	(bridged).			
PowerLi	ght™ 3 Series				
	PL380	2 channels, 1500 watts/ch at 8Ω , 2600 watts/ch at 4Ω , 4000 watts/ch at 2Ω .	Pro Audio	No	\$3,409.49
Amplifie	r Accessories				
	REAR RACK EAR	7" Rear support rack ear kit.	Q-SYS	No	\$135.00
	KIT 7IN	7 Real Support rack ear kit.	Q-313	NO	7133.00
	REAR RACK EAR	3" Rear support rack ear kit.	0 676	No	\$110.00
	KIT 3IN	s hear support rack ear kit.	Q-SYS	No	\$110.00
	IT-42	Isolation Transformer – 25V, 70V, and 100V dual output transformer for CX302.	Q-SYS	No	\$362.00
	PLENUM KIT	The UL-approved Plenum Kit enables SPA amplifiers to be used in plenum systems.	Q-SYS	No	\$145.00
	PC13L1M-NA	Accessory, North American Power Cord, 14 AWG, 1 m, Locking IEC	Q-SYS	No	\$27.00
		Q-SYS PLATFORM			
O 575 C	DDEC	Q 3131 EATH STORM			
Q-SYS CO	JNE3	Unified Core with 24 local audio I/O channels, 128x128 total network I/O channels with 8x8			
	CODE 4400 3		0.646		¢4.240.00
	CORE 110f-v2	Software-based Dante license included, USB AV bridging, dual LAN ports, POTS and VoIP telephony,	Q-SYS	Yes	\$4,210.00
		no GPIO, 16 next-generation AEC processors, 1RU.			
		Enterprise Core for AV&C processing built on Dell Server Technology offering 512x512 networked			
	CORE 5200	audio channels, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 160 next-	Q-SYS	Yes	\$45,000.00
		generation AEC processors, dual redundant hot-swappable PSU's, Dell iDRAC remote monitoring			, ,
		and a projectalled OCOCh CCD Madia Drive			
		and a pre-installed 960Gb SSD Media Drive.			
		Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256			
	CORE CAO		0.5%	Vaa	Ć10 440 00
	CORE 610	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256	Q-SYS	Yes	\$10,440.00
	CORE 610	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal	Q-SYS	Yes	\$10,440.00
	CORE 610	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for	Q-SYS	Yes	\$10,440.00
		Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based			
	CORE 610	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC	Q-SYS Q-SYS	Yes	\$10,440.00
	CORE 8 FLEX	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU.	Q-SYS		\$2,930.00
		Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV	Q-SYS		
	CORE 8 FLEX	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU.	Q-SYS	Yes Yes	\$2,930.00 \$2,190.00
	CORE 8 FLEX CORE NANO SLCE3-VC-P	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license.	Q-SYS Q-SYS Q-SYS	Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00
	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license.	Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00
O SVS IV	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license.	Q-SYS Q-SYS Q-SYS	Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00
Q-sys I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term.	Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00
	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2 QIO-ML4i	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00 \$730.00
Q-SYS I/	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00 \$730.00
	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2 QIO-ML4i	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00 \$730.00
NEW	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2 QIO-ML4i QIO-AES8x8	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 RJ11 connectors to interface with analog telephony (POTS or PSTN)	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00 \$730.00
	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2 QIO-ML4i	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 RJ11 connectors to interface with analog telephony (POTS or PSTN) systems. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes Yes Yes Yes Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00 \$730.00
NEW	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2 QIO-ML4i QIO-AES8x8	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 RJ11 connectors to interface with analog telephony (POTS or PSTN) systems. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00 \$730.00 \$1,135.00
NEW	CORE 8 FLEX CORE NANO SLCE3-VC-P SLCE5-VC-P SLCEMU-VC-T O Peripherals QIO-L40 QIO-ML2x2 QIO-ML4i QIO-AES8x8	Network Core for AV&C processing built on Dell PowerEdge Server Technology offering 256x256 networked audio channels with 8x8 Software-based Dante license included, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 64 next-generation AEC processors, internal universal PSU, pre-installed 480 GB SSD Media Drive, 1RU. Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU. Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size 1RU. Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license. Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license. Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term. Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. Q-SYS peripheral providing 2 RJ11 connectors to interface with analog telephony (POTS or PSTN) systems. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface	Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS Q-SYS	Yes	\$2,930.00 \$2,190.00 \$795.00 \$1,170.00 \$375.00 \$560.00 \$685.00

			QSC Division	Requires Q-SYS Certification	LIST
EOL	1/0-22	Q-SYS I/O peripheral with PoE that provides 2 mic/line inputs, 2 line outputs, and one 10W speaker output.	Q-SYS	Yes	\$3,410.00
	DCIO	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic, automation. Outputs Q-LAN A & B, HI/VI, and line/speaker out.	Q-SYS	Yes	\$2,500.00
	DCIO-H	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic, automation. Outputs Q-LAN A & B, HI/VI, and line/speaker out. HDMI in/out.	Q-SYS	Yes	\$3,665.00
•	•	erals - Assembled by the Purchaser (Kit)			
Purchas	er should order I/O	cards to fill all slots on the Core or I/O-Frame. Installation of the I/O cards and media options to be	carried out	by the purchas	er.
	CORE 510i Kit	Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 64 next-generation AEC processors, 2RU. Can also be configured via software as an I/O-Frame offering 128 x 128 networked audio channels. Rear plates (RP1 Kit) are included.	Q-SYS	Yes	\$9,670.00
EOL - with stock	I/O FRAME Kit	I/O Frame with four card slots, 16x16 network I/O channels, dual LAN ports for network redundancy, and 8 configurable GPIO, 1RU. Rear plates (RP1 Kit) are included.	Q-SYS	Yes	\$2,995.00
EOL - with stock	RP1 Kit	Rear Plate for covering unused card slots above any installed I/O card (4-pack)	Q-SYS	Yes	\$82.00
EOL - with stock	CR1 Kit	Card Riser for stacking I/O cards above an unused card slot while also covering the unused card slot from the rear. Only recommended in exceptional circumstances when using top loaded I/O card configurations.	Q-SYS	Yes	\$64.00
Q-SYS I/	O Cards				
	CIML4	Four channels of microphone / line-level analog audio input with 48V phantom power.	Q-SYS	Yes	\$442.00
	CIML4-HP	Four channels of microphone / line-level analog audio input with high performance pre-amplifiers and 48V phantom power.	Q-SYS	Yes	\$1,148.00
	COL4	Four channels of balanced, line-level analog output.	Q-SYS	Yes	\$400.00
	CAES4	Four channels of AES-3 digital audio with channel pairs configurable as input or output.	Q-SYS	Yes	\$665.00
	CIAES16	Sixteen channels of AES-3 digital audio input on dual RJ45 connectors.	Q-SYS	Yes	\$882.00
	CODP4	Four channels (2 DataPorts) for connection to DataPort equipped QSC amplifiers.	Q-SYS	Yes	\$645.00
	CDN64	Q-SYS Dante Bridge Card, 64x64.	Q-SYS	Yes	\$2,170.00
	CTEL4	Four RJ-11 connectors to interface Q-SYS Cores and I/O Frames to analog telephony (POTS) systems.	Q-SYS	Yes	\$975.00
Q-SYS M	ledia Options				
	MD-110	Media Drive Kit for Core 110f ONLY - Provides a minimum of 200 hours of audio storage (WAV, MP3 or FLAC).	Q-SYS	Yes	\$1,225.00
	M2-MD-S	Small Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 200 hours of audio storage (WAV, MP3 or FLAC).	Q-SYS	Yes	\$1,250.00
	M2-MD-M	Medium Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 500 hours of audio storage (WAV, MP3 or FLAC).	Q-SYS	Yes	\$2,500.00
	M2-MD-L	Large Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 1,000 hours of audio storage (WAV, MP3 or FLAC).	Q-SYS	Yes	\$7,500.00
Q-SYS C	ontrol Peripherals				
	TSC-50-G3	Q-SYS 5" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	Q-SYS	Yes	\$1,500.00
	TSC-70-G3	Q-SYS 7" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	Q-SYS	Yes	\$1,905.00
	TSC-101-G3	Q-SYS 10.1" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	Q-SYS	Yes	\$3,170.00
	TSC-50t-G3	Table top mounting accessory for TSC-50-G3.	Q-SYS	Yes	\$275.00
	TSC-710t-G3	Table top mounting accessory for TSC-70-G3 and TSC-101-G3.	Q-SYS	Yes	\$455.00
EOL - with stock	TSC-116W-G2-BK	Q-SYS 11.6" PoE Touch Screen Controller for In-Wall Mounting. Includes 1 LAN Port and Aux Power input. Color - Black only	Q-SYS	Yes	\$3,085.00
EOL - with stock	TSC-80T-G2-BK	Table top mounting accessory for TSC-80t-G2-BK.	Q-SYS	Yes	\$420.00
EOL - with stock	TSC-116T-G2-BK	Table top mounting accessory for TSC-116W-G2-BK.	Q-SYS	Yes	\$445.00
	QIO-GP8x8	Q-SYS peripheral providing control expansion with 8 logic inputs and 8 logic outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS	Yes	\$455.00
	QIO-IR1x4	Q-SYS peripheral providing control expansion with 1 IR receiver, 4 IR emitters. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS	Yes	\$550.00

12 QSC US LLC USD Q-SYS Distrit -Confidential Pricing	out	or Pri	ce l

			QSC Division	Requires Q-SYS Certification	LIST
	QIO-S4	Q-SYS peripheral providing control expansion with 4 serial communication I/O. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	Q-SYS	Yes	\$455.00
Q-SYS AV	V-to-USB Bridging	Separatery.			
	NC-110	110° Horizontal Field of View, ePTZ network camera, PoE, includes mounting bracket for monitor and surface mounting	Q-SYS	Yes	\$1,450.00
	NC-12x80	12x Optical Zoom 80° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket	Q-SYS	Yes	\$4,625.00
	NC-20x60	20x Optical Zoom 60° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket.	Q-SYS	Yes	\$5,545.00
EOL - with stock	PTZ-12x72	Q-SYS PoE camera for AV-to-USB Bridging. 12x Optical Zoom 72° horizontal field of view. For small to medium conference rooms. Includes Lan, 3G-SDI and HDMI; includes a PTZ-WMB1 (Wall Mount Bracket).	Q-SYS	Yes	\$3,800.00
	PTZ-CMB1	Accessory Ceiling Mount Bracket for PTZ Camera, NC-12x80 and NC-20x60.	Q-SYS	Yes	\$155.00
	PTZ-WMB1	Accessory Wall Mount Bracket for PTZ Camera, NC-12x80 and NC-20x60.	Q-SYS	Yes	\$155.00
	I/O USB Bridge	Q-SYS PoE bridging endpoint for AV-to-USB Bridging. Delivers driverless USB 2.0 connection. Includes dual LAN connections.	Q-SYS	Yes	\$2,085.00
Q-SYS NI	M Series Network				
	NM-T1-BK	Tabletop network microphone with RGB light ring and onboard meeting controls, PoE powered. Includes mounting kit and soft-flex CAT6 cable.	Q-SYS	Yes	\$1,160.00
Q-SYS NI	L Series Network Lo				
	NL-C4-WH	4" Full-range, low-profile ceiling-mount network loudspeaker, PoE/PoE+ powered. Includes C-ring and tile rails. Color - White.	Q-SYS	Yes	\$534.00
	NL-P4-BK	4" Full-range, pendant-mount network loudspeaker, PoE/PoE+ powered. Includes hanging hardware. Color - Black.	Q-SYS	Yes	\$587.00
	NL-P4-WH	4" Full-range, pendant-mount network loudspeaker, PoE/PoE+ powered. Includes hanging hardware. Color - White.	Q-SYS	Yes	\$587.00
	NL-SB42	3.5" Two-way network soundbar, PoE/PoE+ powered. Includes hanging hardware.	Q-SYS	Yes	\$770.00
	oftware Licenses				
		esign files, check with QSC Sales Team for details on Q-SYS Software Licensing			
*	SLDAN-8-P	Q-SYS Software-based Dante 8x8 Channel License, Perpetual.	Q-SYS	Yes	\$320.00
		sold prior to 30-March-2020, Core 510i and Core 5200 sold prior to 31-December-2020, and all NV-32-	· ·	· ·	4
**	SLDAN-16-P	Q-SYS Software-based Dante 16x16 Channel License, Perpetual.	Q-SYS	Yes	\$560.00
**	SLDAN-32-P	Q-SYS Software-based Dante 32x32 Channel License, Perpetual.	Q-SYS	Yes	\$920.00
***	SLDAN-64-P	of, Core 8 FLEX, Core NANO, Core 510i, Core 610, Core 5200, NV-32-H (Core Capable)	0 575	Voc	¢1 70F 00
***	SLDAN-64-P	Q-SYS Software-based Dante 64x64 Channel License, Perpetual Q-SYS Software-based Dante 128x128 Channel License, Perpetual	Q-SYS Q-SYS	Yes Yes	\$1,785.00 \$3,475.00
		Oi, Core 610, Core 5200	Q-313	res	\$5,475.00
****	SLDAN-256-P	Q-SYS Software-base Dante 256x256 Channel License, Perpetual	Q-SYS	Yes	\$6,495.00
****	Note ****: Core 6	10, Core 5200			
*****	SLDAN-512-P Note *****: Core	Q-SYS Software-base Dante 512x512 Channel License, Perpetual 5200	Q-SYS	Yes	\$12,010.00
	SLQUD-110-P	Q-SYS Core 110 UCI Deployment Software License, Perpetual.	Q-SYS	Yes	\$235.00
	SLQSE-110-P	Q-SYS Core 110 Scripting Engine Software License, Perpetual.	Q-SYS	Yes	\$465.00
	SLQUD-510-P	Q-SYS Core 510 UCI Deployment Software License, Perpetual.	Q-SYS	Yes	\$580.00
	SLQSE-510-P	Q-SYS Core 510 Scripting Engine Software License, Perpetual.	Q-SYS	Yes	\$1,040.00
	SLQUD-610-P	Q-SYS Core 610 UCI Deployment Software License, Perpetual.	Q-SYS	Yes	\$580.00
	SLQSE-610-P SLQUD-8N-P	Q-SYS Core 610 Scripting Engine Software License, Perpetual. Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License,	Q-SYS Q-SYS	Yes	\$1,040.00 \$116.00
	SLQSE-8N-P	Perpetual. Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License,	Q-SYS	Yes	\$234.00
Core	02002 0111	Perpetual. Q-SYS Collaboration Bundle scaling license for Core Nano and Core 8 Flex that doubles the			
Nano & Core 8 Flex	SLCOL-8N-P	networked audio capacity to 128x128, doubles the maximum number of next-generation AEC processors to 16, doubles the maximum number of Softphone instances to 4, and doubles the general purpose processing capacity, Perpetual.	Q-SYS	Yes	\$1,275.00
Core Nano & Core 8 Flex	SLCOM-8N-P	Q-SYS Commercial AV Bundle scaling license for Core Nano and Core 8 Flex that doubles the networked audio capacity to 128x128, doubles the Media/WAN streaming capacity to 24x24, expands the maximum number of peripherals hosted to 48, and doubles the general purpose processing capacity, Perpetual.	Q-SYS	Yes	\$1,275.00
NEW	SLCS15-610-P	Q-SYS Capacity Scaling license for Core 610 that expands networked audio capacity to 384x384 channels, expands Media/WAN streaming capacity to 96x96 channels, increases the maximum number of next-generation AEC processors to 96, and adds 50% more general purpose processing capacity.	Q-SYS	Yes	\$5,335.00

			QSC Division	Requires Q-SYS Certification	LIST
		Q-SYS AV Bridging feature license. One license is required per TSC Series Gen 3 touch screen			
	SLQBR-P	controller with AV Bridging enabled. Perpetual.	Q-SYS	Yes	\$670.00
		For NV-21-HU, TSC-70-G3 & TSC-101-G3			
A/514/	CLOCNIC NIVOS D	Q-SYS Core Mode Video Streaming feature license. Enables network video encoding or decoding on	0.00	Vaa	¢1 000 00
NEW	SLQCMS-NV32-P	Q-SYS NV-32-H (Core Capable) when in Core Mode. Perpetual.	Q-SYS	Yes	\$1,000.00
	SLMST-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable) license for Microsoft Teams Room software	Q-SYS	Yes	\$350.00
	SLIVIS I-OIN-P	features, enables both Q-SYS Scripting and UCI Deployment, Perpetual	Q-313	res	\$550.00
	SLMST-110-P	Q-SYS Core 110 license for Microsoft Teams Room software features, enables both Q-SYS Scripting	Q-SYS	Yes	\$700.00
	3LIVI31-110-P	and UCI Deployment, Perpetual	Q-313	res	\$700.00
	SLMST-510-P	Q-SYS Core 510 license for Microsoft Teams Room software features, enables both Q-SYS Scripting	Q-SYS	Yes	¢1 620 00
	3LIVI31-310-P	and UCI Deployment, Perpetual	Q-313	163	\$1,620.00
	SLMST-610-P	Q-SYS Core 610 license for Microsoft Teams Room software features, enables both Q-SYS Scripting	Q-SYS	Yes	\$1,620.00
	3LIVI31-010-P	and UCI Deployment, Perpetual	Q-313	163	\$1,020.00
	SLMTP-32	Multi-Track Playback Option - up to 32 Channels; (requires a Media Drive installed to activate,	Q-SYS	Yes	\$3,210.00
	JLIVITE-32	except on Cores 610 and 5200). For Cores: Nano, 8 Flex, 110f, 510i, 610 and 5200	Q-313	163	33,210.00
	SLMTP-64	Multi-Track Playback Option - up to 64 Channels; (requires a Media Drive installed to activate,	Q-SYS	Yes	\$6,420.00
	SLIVITP-04	except on Cores 610 and 5200). For Cores: 510i, 610 and 5200	Q-313	162	30,420.00
	SLMTP-128	Multi-Track Playback Option - up to 128 Channels; (requires a Media Drive installed to activate,	0 575	Vos	\$12,840.00
	SLIVITP-126	except on Cores 610 and 5200). For Cores: 510i, 610 and 5200	Q-SYS	Yes	\$12,040.00
Q-SYS Pa	aging Peripherals &	Accessories			
	PS-1600H	Q-SYS 16-Button Wall Mounted Page Station; Handheld (H) Microphone.	Q-SYS	Yes	\$3,695.00
	PS-1600G	Q-SYS 16-Button Wall Mounted Page Station; Gooseneck (G) Microphone.	Q-SYS	Yes	\$3,695.00
	PS-1650H	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; Handheld (H) Microphone.	Q-SYS	Yes	\$3,695.00
	PS-1650G	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; Gooseneck (G) Microphone.	Q-SYS	Yes	\$3,695.00
	PS-X	Q-SYS Page Station Expander, Handheld microphone.	Q-SYS	Yes	\$850.00
	PS-ACC	Q-SYS Gooseneck Page Station Podium Mounting Flange Accessory.	Q-SYS	Yes	\$150.00
Q-SYS N	S Series Network S				
EOL - with		10-port network switch preconfigured for Q-SYS Audio, Video and Control with 4x PoE+ ports. With			
stock	NS-1108P	advanced QoS and IGMP to also support AES67 and Dante in same VLAN.	Q-SYS	Yes	\$916.00
	Note: Q-SYS NS Se	ries is intended for standalone AV networks consisting of only one switch. QSC does not support applic	ations beyo	and the supplier	
		ch as additional VLANs, other AVC protocols etc.	•	• •	
Q-SYS N	S Series Gen 2 Netv				
•		10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE+ ports and			
	NS10-125+	125 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and	Q-SYS	Yes	\$1,320.00
		Dante within the same VLAN.	~		+ =,=====
		10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE++ ports and			
	NS10-720++	720 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and	Q-SYS	Yes	\$2,995.00
	14310 72011	Dante within the same VLAN.	Q 313	103	Ψ2,333.00
		26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE+ ports and			
	NS26-300+	300 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and	Q-SYS	Yes	\$2,995.00
	14320-3001	Dante within the same VLAN.	Q-313	163	72,333.00
		26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE++ ports and			
	NS26-1440++	1440 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and	Q-SYS	Yes	\$5,635.00
	11320-1440++	Dante within the same VLAN.	Q-313	163	\$3,033.00
	Note: O SVS NS So	ries Gen 2 is intended for standalone AV networks. QSC does not support applications beyond the supp	liod config	urations such a	s additional
		ries den 2 is intended for standalone AV networks. QSC does not support applications beyond the supp	nied coming	urations, such a	is additional
		and a selection of the			
	VLANs, other AVC	protocols etc.			
Q-SYS N					
Q-SYS N	VLANs, other AVC	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or			
Q-SYS N	VLANs, other AVC	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional stand-	O-SYS	Ves	\$4 170 00
Q-SYS N	VLANs, other AVC etwork Video I/O	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or	Q-SYS	Yes	\$4,170.00
Q-SYS N	VLANs, other AVC etwork Video I/O NV-32-H (Core	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging.	Q-SYS	Yes	\$4,170.00
Q-SYS N	VLANs, other AVC etwork Video I/O NV-32-H (Core	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or	Q-SYS	Yes	\$4,170.00
Q-SYS N	VLANs, other AVC etwork Video I/O NV-32-H (Core	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging.	Q-SYS	Yes	
	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P).	Q-SYS		\$2,250.00
	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable)	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable			\$4,170.00 \$2,250.00 \$285.00
NEW NEW	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging	Q-SYS Q-SYS	Yes	\$2,250.00 \$285.00
NEW NEW	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P).	Q-SYS	Yes	\$2,250.00
NEW NEW DIGITAL	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU Accessories PTL-1	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging	Q-SYS Q-SYS	Yes Yes	\$2,250.00 \$285.00 \$74.00
NEW NEW	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU Accessories	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging Pilot Tone Load for End-of-line monitoring of loudspeaker circuits.	Q-SYS Q-SYS	Yes Yes	\$2,250.00 \$285.00 \$74.00
NEW NEW DIGITAL	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU Accessories PTL-1 DAB-801	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging Pilot Tone Load for End-of-line monitoring of loudspeaker circuits. DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundancy when used with Q-SYS DataPort I/O, 4 RU.	Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes	\$2,250.00 \$285.00 \$74.00 \$2,670.00
NEW NEW DIGITAL	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU Accessories PTL-1	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging Pilot Tone Load for End-of-line monitoring of loudspeaker circuits. DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundancy when used with Q-SYS	Q-SYS Q-SYS	Yes Yes	\$2,250.00
NEW NEW DIGITAL EOL EOL - with stock	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU Accessories PTL-1 DAB-801	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging Pilot Tone Load for End-of-line monitoring of loudspeaker circuits. DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundancy when used with Q-SYS DataPort I/O, 4 RU.	Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes	\$2,250.00 \$285.00 \$74.00 \$2,670.00
NEW NEW DIGITAL EOL EOL - with	VLANs, other AVC letwork Video I/O NV-32-H (Core Capable) NV-21-HU NV-21-PSU Accessories PTL-1 DAB-801	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional standalone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging. 4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional Software License to enable AV Bridging (SLQBR-P). 12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging Pilot Tone Load for End-of-line monitoring of loudspeaker circuits. DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundancy when used with Q-SYS DataPort I/O, 4 RU. Isolation Output Transformer Panel, 25/70/100 volt, 8 Channels, 400 w/ch, Rack Mount, 4 RU.	Q-SYS Q-SYS Q-SYS Q-SYS	Yes Yes Yes Yes	\$2,250.00 \$285.00 \$74.00 \$2,670.00

Deploy

			QSC Division	Requires Q-SYS Certification	LIST
		DataPort accessory card, converts an HD15 connector on DataPort amplifiers to a terminal block		I	
	DDI-11	style connector. Same as DDI-3, except DataPort connector is right angle mounted. Provides access to the amplifier's 15Vdc output, standby control connectivity.	Q-SYS	Yes	\$42.50
	DPC-2	DataPort cable, HD15 connector, 2 ft. length.	Q-SYS	Yes	\$22.00
	DPC-2		Q-SYS	Yes	\$32.50
		DataPort cable, HD15 connector, 4 ft. length.			
	DPC-6	DataPort cable, HD15 connector, 6 ft. length.	Q-SYS	Yes	\$39.50
DDM D	DPC-10 IGITAL PROCESSO	DataPort cable, HD15 connector, 10 ft. length.	Q-SYS	Yes	\$55.00
/FIVI - D	IGITAL PROCESSO	•			
	DPM-300	10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel bi-, tri- and quadamp, Intrinsic Correction™, Ethernet control.	Q-SYS	No	\$3,900.00
	DPM-300H	10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel tri-and quad-amp,	Q-SYS	No	\$4,500.00
		Intrinsic Correction™, Ethernet control, with HDMI in/out, Dolby Digital Plus and DTS -HD.	Q 313	110	7 1,500.00
CM - D	IGITAL CINEMA M	ONITOR			
OL - with stock	DCM-100	Cinema monitor, crossover, and signal processor with 8 channel analog input, DataPort connections and Intrinsic Correction™ for 3 screen channels, passive or bi-amp.	Q-SYS	No	\$1,885.00
EOL - with	DCM-300	Cinema monitor, crossover, and signal processor with 8 channel analog input, DataPort connections	Q-SYS	No	\$2,450.00
	NAL PROCESSORS	and Intrinsic Correction™ for 3 screen channels, passive, bi-, tri- or quad-amp.			
ar ald		AND BOOTH MONITORS	0.000		ć2 750 C
EOL -	JSD-60D	8-Ch Digital Proc. AES/EBU DTS & AC3. Specify NA, EU, or AU.	Q-SYS	No	\$2,750.00
with	JSD-60DX	8-Ch Digital Proc. DTS & AC3 w/Bi-amp XO. Specify NA, EU, or AU.	Q-SYS	No	\$3,295.00
stock	JSD-60DN	8-Ch Digital Proc. DTS & AC3 w/Blulink Out. Specify NA, EU, or AU.	Q-SYS	No	\$3,250.00
Stock	DAX-202	2-Channel Digital Audio Converter	Q-SYS	No	\$415.00
CCESS	ORIES FOR USL SIG	NAL PROCESSORS AND BOOTH MONITORS			
EOL -	PXC-4	CM-8E Breakout Board - Left & Center	Q-SYS	No	\$65.00
with	JSDV-100	JSD-100 Remote/Fader/Volume	Q-SYS	No	\$250.00
stock	JSD-RJM8	RJ45 Connector to JSD DMA-8 Pin Out (Male)	Q-SYS	No	\$85.00
	1000	TEST & MEASUREMENT			7
OL - with	LSS-200	Light and Sound Sensor, XYZ color sensor with Power over Ethernet. Replaces LSS-100P. Does not include power supply.	Q-SYS	No	\$1,150.00
rocessir	ng: One Q-SYS Core 5	toring system with Q-SYS processing, amplification, and loudspeakers. Sold as complete system only. System com 10i Kit, configured with one CODP4 I/O card per screen channel position and one DCA 3022 per screen channel position			
oudspea	akers: One RSC112 a	nd one RSB212 per screen channel position. Baffle wings optional but recommended.			
	Core 510i Kit	Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 2RU. Rear plates are included.	Q-SYS	Yes	\$9,670.00
	CODP4	Four channels (2 DataPorts) for connection to DataPort equipped QSC amplifiers.	Q-SYS	Yes	\$645.00
	DCA1222	2 channels, 215 watts/ch @ 8Ω , 375 watts/ch @ 4Ω , 600 watts/ch @ 2Ω .	Q-SYS	Yes	\$1,250.00
		Priced individually. 2 channels, 625 watts/ch @ 8 Ω , 1050 watts/ch @ 4 Ω , 1500 watts/ch @ 2 Ω .			
	DCA3022	Priced individually. Tri-amp, 3-way, consists of 1x12" LF, coaxial MF/HF. Requires NL8 connectors (not supplied by	Q-SYS	Yes	\$1,760.00
	RSC112	QSC). Priced individually.	Q-SYS	Yes	\$3,875.00
	RSB212	LFE (subwoofer), dual 12" 500 W transducers, 96 dB sensitivity. Requires NL8 connectors (not supplied by QSC). Priced individually.	Q-SYS	Yes	\$2,545.00
	RBK-12	(Optional) Baffle wings kit for RSC-112 and RSB-212; one kit includes one Left and one Right wing section and attachment hardware. One kit per loudspeaker.	Q-SYS	Yes	\$720.00
oftwar	e / Training	Section and attachment natuware. One kit per loudspeaker.			
Jitwai		O SVS Decignor software	0 575	No	
	Q-SYS DESIGNER LEV 1	Q-SYS Designer software.	Q-SYS	No	-
	CERTIFICATION	Q-SYS Level 1 Online training.	Q-SYS	No	-
	LEV 2 CERTIFICATION	Q-SYS Level 2 Classroom training.	Q-SYS	No	<u>-</u>
	OSC Doctors in the	Professional Services	ot Manage	vo Dre	0.04
	IN LIGHTORY IN the		CT MIDNOGO	rs. Programmer	s, and
		United States have access to Professional Services from a fully dedicated team at QSC composed of Proje			
Comr	nissioning Profession	onals. This service assists Dealers for projects across all verticals which may require specialized Q-SYS exp d direct factory involvement for high value contracts. Discuss opportunities with QSC Sales Director for re	ertise, Cust	tomer/Consulta	nt request,
Comr overflo	nissioning Profession	onals. This service assists Dealers for projects across all verticals which may require specialized Q-SYS exp	ertise, Cust	tomer/Consulta	nt request,
Comr	nissioning Profession	onals. This service assists Dealers for projects across all verticals which may require specialized Q-SYS exp	ertise, Cust	tomer/Consulta	nt request,

		QSC Division	Requires Q-SYS Certification	LIST
Remote Deployment	Remote deployment of Professional Services Q-SYS Designer Software files including comprehensive signal validation, system demo, and a 90 day programming warranty period	Q-SYS	No	\$375/h
Onsite Deployment	On-site deployment of Professional Services Q-SYS Designer Software files including comprehensive signal validation, system demo, and a 90 day programming warranty period	Q-SYS	No	\$375/h + Travel
/laintain				
Extended Programming Warranty	+90 day warranty on deployed Professional Services Q-SYS programming (180 days total) Professional Tier Enterprise Manager Subscription Required	Q-SYS	Yes	-
	Q-SYS Reflect Enterprise Manager			
QSC Dealers who have in	corporated Q-SYS Reflect Enterprise Manager into their managed services offerings have a streamlined	and secure	e method to mo	nitor and
manage Q-SYS based AV sy	stems including 3rd party devices over the cloud. Contact your QSC sales representative for an invitati	on into the	MSP program fo	or access to
Basic Tier:				
One place for all yo	ur Cores. Simple, secure, global visibility and remote software license activation for all Q-SYS Cores. Ve	rify that all	Cores are conne	ected,
running the design	and firmware you need and working as expected.			
SS-EMA-S-B	Basic Tier - one System per month	Q-SYS	Yes	FREE
SS-EMA-P-B	Basic Tier - one Peripheral per month	Q-SYS	Yes	FREE
Standard Tier:				
Painless remote ma	nagement for multiple systems. All the features of Basic Tier plus real-time status and event logs for all	ll AV system	n devices, includ	ling 3rd par
devices. Allows for	secure, centralized management of all Q-SYS systems, their settings, security profiles, audio files and p	laylists. Plu:	s integrate with	3rd party
SS-EMA-S-S	Standard Tier - one System per month	Q-SYS	Yes	
	Standard Her - One System per month	-,		\$7.50
SS-EMA-P-S	Standard Tier - one Peripheral per month	Q-SYS	Yes	\$7.50 \$0.75
SS-EMA-P-S Professional Tier:	, .			
Professional Tier:	, .	Q-SYS	Yes	\$0.75
Professional Tier: Remote helpdesk 8	Standard Tier - one Peripheral per month	Q-SYS notely and s	Yes securely via the	\$0.75 Q-SYS
Professional Tier: Remote helpdesk 8 Reflect Cloud, for fi	Standard Tier - one Peripheral per month system update capabilities. All the features of Standard Tier plus the ability to use Q-SYS Designer rem	Q-SYS notely and s	Yes securely via the	\$0.75 Q-SYS
Professional Tier: Remote helpdesk 8 Reflect Cloud, for fi	Standard Tier - one Peripheral per month system update capabilities. All the features of Standard Tier plus the ability to use Q-SYS Designer remails system troubleshooting, modifications and firmware updates. Also includes the ability to use Q-SYS	Q-SYS notely and s	Yes securely via the	\$0.75 Q-SYS

QSC US LLC USD Q-SYS Distributor Price	List
-Confidential Pricing	

			QSC Division	Requires Q-SYS Certification	LIST
		Attero Tech by Q-SYS			
Axiom S	eries				
	AXPIO	2 Channel Axiom Bus Analog Input and Output expander (for use with Axiom wall plates).	Q-SYS	No	\$310.00
	BT1	Single gang US Bluetooth Wall Plate interface (includes white and black faceplates, Axiom bus compatible).	Q-SYS	No	\$605.00
EOL - with stock	ML1	Single Gang US, 2 Channel Analog Input Extender Wall Plate, with XLR Mic/Line in and 3.5mm line input (Axiom bus compatible).	Q-SYS	No	\$475.00
EOL - with stock	USB1	Single gang US USB Audio Wall Plate interface (includes white and black faceplates, Axiom bus compatible).	Q-SYS	No	\$550.00
xon Sei	ries				
	A4FLEX	4 Channel I/O Interface w/ Logic I/O, AES67, USB, 2x5W Amplifier, PoE+, 1/3rd rack width w/mounting ears (rack tray kit sold separately)	Q-SYS	No	\$1,717.00
	1RU Steel Rack Tray	Axon series, 1 RU rack tray	Q-SYS	No	\$212.00
	C1	Single gang US, IP Wall Controller, PoE (includes white and black faceplates)	Q-SYS	No	\$770.00
	D2i	Single gang US Dante/AES67 Wall Plate with 2 Mic/Line Inputs on XLR and 1/4" TRS combo connectors, PoE (includes white and black faceplates, Axiom bus expansion capable).	Q-SYS	No	\$1,150.0
	DBU	Dante/AES67 USB and Bluetooth audio bridging interface, PoE.	Q-SYS	No	\$925.00
	DTH1620	Dante/AES67 16-channel by 20 Watt ruggedized themed attraction amplifier.	Q-SYS	No	\$3,745.00
niversa	al AV Series				
	unD6IO	4x2 Channel Dual Gang US, Dante/AES67 Wall Plate 2 Mic/Line In (XLR), RCA, 3.5 mm I/O, PoE (white and black faceplates included).	Q-SYS	No	\$1,160.00
	unD6IO-BT	4x2 Channel 2 Gang US, Dante/AES67 Wall Plate w/Bluetooth, RCA, 3.5 mm I/O, PoE (white and black faceplates included).	Q-SYS	No	\$1,385.0
	unDNEMO	64 Channel Desktop Dante Audio Monitor w/USB.	Q-SYS	No	\$1,370.0
OL - with stock	unDUSB	2x2 Channel Dante/AES67 - USB Audio Bridge Interface.	Q-SYS	No	\$575.00
	unDX2IO+	4x2 Channel 2 Gang US Dante/AES67 Wall Plate 2 Mic/Line In x 2 Out (XLR), Phoenix I/O, PoE (white and black faceplates included)	Q-SYS	No	\$1,070.0
	unDX4I	4x2 Channel Dual Gang, Dante/AES67 US Wall Plate 4 Mic/Line In (XLR), Phoenix I/O, PoE.	Q-SYS	No	\$1,150.0
	unHX2D	Dante/AES67-enabled, HDMI Audio De-Embedder/Embedder.	Q-SYS	No	\$1,550.0
OL - with stock	unXP2I	Single gang passive wall plate input expander, 2 XLR-F (includes 3-gang Decora plate, white and black inserts).	Q-SYS	No	\$140.00
OL - with stock	unXP2O	Single gang passive wall plate output expander, 2 XLR-M (includes 3-gang Decora plate, white and black inserts).	Q-SYS	No	\$140.00
/napse	I/O Series				
	D16Mio	16x16 Channel Mic/Line I/O Dante/AES67 Interface, 1RU.	Q-SYS	No	\$5,020.0
	D32Mi	32 Channel Mic/Line In Dante/AES67 Interface, 1RU.	Q-SYS	No	\$6,725.0
	D32o	32 Channel Line Out Dante/AES67 Interface, 1RU.	Q-SYS	No	\$4,435.0
aging S	eries				
	Zip4	4-Zone Dante/AES67 Paging Interface, PoE, dual gang.	Q-SYS	No	\$1,420.0
	Zip4-3G	4-Zone Dante/AES67 Paging Interface, PoE, triple gang.	Q-SYS	No	\$1,670.0
	Zip4-Mag Mic Bas	e Zip series magnetic mic receiver base.	Q-SYS	No	\$53.50
	Zip4-PTT Mic-Std		Q-SYS	No	\$360.00
	Zip4-PTT Mic-Mag	Zip series PTT Paging microphone, RJ-45 terminated w/magnetic base.	Q-SYS	No	\$450.00
		Seervision by Q-SYS			
		All Seervision orders need to be reviewed and quoted by a Q-SYS salesperson or application engi When ordering Seervision you must reference the Q-SYS quote number.	neer.		
ompute	er Vision / AI Accel	erator Hardware			
NEW	SVS1-2U	Seervision Base Processing, Computer Vision/AI Accelerator hardware, includes SDI capture card, 2RU form factor Supports 1 camera tracking / analysis channel.	Q-SYS	Yes	\$5,835.0
		(Requires purchase of a SW license and a commissioning service).			
		Seervision Enhanced Processing, Computer Vision/Al Accelerator hardware, includes 4 input SDI			
NEW	SVS4-2U	capture card, 2RU form factor Supports 2 camera tracking / analysis channels.	Q-SYS	Yes	\$8,835.0
		(Requires purchase of one or two SW licenses, based on number of tracking camera channels			
oon:is!	on Cofuera License	used and an advanced commissioning service).			
	on Sofware License		0.676	V	¢2.050.0
NEW	SLSV-CAM-1YR	1 YR Term, Seervision SW license for single camera tracking / analysis channel.	Q-SYS	Yes	\$3,050.0
NEW	SLSV-CAM-5YR	5 YR Term, Seervision SW license for single camera tracking / analysis channel.	Q-SYS	Yes	\$12,200.0
NEW	SLSV-CAM-7YR	7 YR Term, Seervision SW license for single camera tracking / analysis channel.	Q-SYS	Yes	\$17,080.0
	on Commissioning	icenses are for single camera tracking for SVS1-2U (single license required) and SVS4-2U (up to 2 require	u)		
\ordisi-					

			QSC Division	Requires Q-SYS Certification	LIST
		Standard Seervision commissioning service includes:			
		* System Review with Dealer Project Management and Dealer Q-SYS Programmer			
NEW	SV-STD-COM	* Up to 5 hours of factory-direct remote commissioning of a Seervision software	Q-SYS	Yes	\$2,500.00
		configuration and control validation as needed			
		*Up to 1 hour post-commissioning check-in and Seervision GUI review			
		Advanced Seervision commissioning service. includes:			
		* System Review with Dealer Project Management and Dealer Q-SYS Programmer			
NEW	SV-ADV-COM	* Up to 8 hours of factory-direct remote commissioning of a Seervision software	Q-SYS	Yes	\$4,175.00
		configuration and control validation as needed			
		* Up to 2 hours post-commissioning check-in and Seervision GUI review			
	Note: Both Comm	issioning Services do not include Q-SYS ACPR commissioning, a separate SOW may apply based on stan	dard Profes	sional Services I	Programming
Seervisi	on Extended Warra	nty			
NEW	SVS1-EXW-1YR	1 YR Extended warranty for SVS1-2U hardware.	Q-SYS	Yes	\$583.50
NEW	SVS4-EXW-1YR	1 YR Extended warranty for SVS4-2U hardware.	Q-SYS	Yes	\$883.50
	Note: Total Warra	nty is limited to maximum of 5 years, 3 years standard + 2 years extended for SVS1-2U and SVS4-2U			